

PREMIUM ** TILE SAW BLADES AND TILE DRILLS MAXIMUM PERFORMANCE ON HARD MATERIALS

- Excellent cutting and drilling performance
- Clean cutting edges
- LEasy to handle



PREMIUM *** TILE SAW BLADES

MAXIMUM PERFORMANCE ON HARD MATERIALS

Convincing benefits:

Extremely fast cutting

Very clean cutting edges

Applicable on angle grinders and table saws

The new TYROLIT tile saw blade DCT★★★ is revolutionary in many ways. Due to the patented production of the cutting rim and the superthin design, cutting is now much easier. Reduced working pressure, a higher cutting ability and very smooth cutting edges ensure maximum performance without compromise.

The complexly designed 10 mm high cutting rim improves the cooling effect during cutting and clearly boosts the functionality on materials difficult to process.

For greater flexibility, this saw blade can be used on angle grinders in dry conditions as well as on table saws in wet conditions.

Optimized for the use on tiles of every kind, the DCT ** saw blade can also be used on stoneware without any problems.

$DCT \star \star \star$

Type No.	Dimension	Segment Height	Machine
639558	105X1.2X20/16	10	
639559	115X1.2X22.23	10	
639560	125X1.2X22.23	10	
639634	180X1.4X22.23	10	
639635	230X1.6X22.23	10	

Type No.	Dimension	Segment Height	Machine
639566	180X1.4X35/30/25.4	10	
639568	230X1.6X35/30/25.4	10	• -
639569	250X1.6X35/30/25.4	10	
639570	300X2.0X35/30/25.4	10	
639571	350X2.0X35/30/25.4	10	



PREMIUM *** TILE DRILLS

EASY TO HANDLE

Convincing benefits:

- Universally applicable on angle grinders and drill motors
- Precise drilling without edge chipping
- For all ceramic and porcelain tiles, stoneware and marble slabs

The TYROLIT vacuum-brazed core bits DDT★★★ are perfectly suited for drilling ceramic and porcelain tiles, stoneware and marble slabs.

Maximum drilling comfort, universally applicable with M14 connector for angle grinders and adapter for drill motors. Suitable for dry and wet drilling.

Perfect and clean cutting edges in tiles and sanitary ware.




$DDT \star \star \star$

	Type No.	Form	Diameter	Length	Connection	Segment Height
TRUIT	69833	HOHLT	6	45	HEX	4
	69848	HOHLT	8	45	HEX	4
	69855	HOHLT	10	45	HEX	4
	69856	HOHLT	12	45	HEX	4
	69860	HOHLT	14	45	HEX	4
	69769	HOHLT	20	45	M14	4
	69768	HOHLT	38	45	M14	4
	69767	HOHLT	52	45	M14	4
	69766	HOHLT	65	45	M14	4
	51392	HOHLT	75	45	M14	4

TILE DRILL-SET

Robust carrying case with the most common drill diameters, M14 connector for angle grinders and adapter for drill motors.





TYROLIT SCHLEIFMITTELWERKE SWAROVSKI K.G.

Swarovskistraße 33 | 6130 Schwaz | Austria Tel +43 5242 606-0 | Fax +43 5242 63398

Our worldwide subsidiary companies can be found on our website at www.tyrolit.com

